

# STB 5/86 V7 GAS

*Bakery oven*




Ref. 710503

## FEATURES



- Change door opening: **optional**

- Digital display in control panel system
- End of cycle alarm
- Door switch
- Interior LED light
- 3/4" water connection
- Easy to clean folding glass
- Rotation inverter
- USB port
- Multilevel
- Premix burner system 

## FUNCTIONS

- Clima control-humidity regulation
- % step speed control
- Steam control-programmable chimney
- 99 cooking programs
- 3 cooking modes: dry heat, vapour and mixed
- Regeneration/maintain food temperature
- User configurable cooking book with pictures
- Multicook/All on time

## TECHNICAL CHARACTERISTICS

**Electric power** 650 W

**Gas power** 20 kW-17200 kcal/h

**Maximum temperature** Up to 300°C

**Weight** 155 kg

**Voltage** 230 V-50/60 Hz

**Connection** Single phase

**Internal dimensions** (W)710x(D)900x(H)1480 mm


**External dimensions** (W)880x(D)1380x(H)850 mm

**Automatic washing** optional

**Removable core probe** optional

## CAPACITY

**6 trays 800x400 - 12 trays 600x400**



**Longitudinal tray position**



**Distance between trays**

80 mm

# STB 5/86 V7 GAS

*Specific accessories*



## Stands

### STB 300 (800x600)

Ref. 710511



(W)810x(D)1160x(H)650 mm

Nº guides - 0

### STB 600 (800x600)

Ref. 710512



(W)810x(D)1160x(H)650 mm

Nº guides - 6

### STB 850 (800x600)

Ref. 710513



(W)810x(D)1160x(H)850 mm

Nº guides - 8

## First installation kit

Ref. 710832



#### The kit contains:

Pipes, connections, adapters and required accessories for the oven installation

1 kg of detergent

1 kg of rinse

## STB V7 fumes condenser kit

Ref. 710518



(W)510x(D)210x(H)315 mm

## Wheels

Ref. 710286



Wheeled option

## DECLARACIÓN UE DE CONFORMIDAD EU DECLARATION OF CONFORMITY

Directiva(s) del Consejo con la(s) que se declara conformidad:  
*Council Directive(s) to which conformity is declared:*

**DC 2014/35/EU + DC 2014/30/EU + DC 2011/65/EU + Regulation (EU) 2016/426**

Aplicación de las Normas:  
*Application of the Standards:*

**UNE-EN 60335-1:2012+AC:2014+A11:2014+A13:2017+A14:2014+A2:2020+A1:2020; UNE-EN 60335-2-42:2004+Corr:2007+A1:2008+A11:2012; UNE-EN 55014-1:2017+A11:2021; UNE-EN 55014-2:2015; UNE-EN 61000-3-2:2014; UNE-EN 61000-3-3:2013+A1:2020; UNE-EN 203-1: 2014; UNE-EN 203-2-2:2007; UNE-EN 60335-2-102:2016**

Fabricante / *Manufacturer's name:*

**FM CALEFACCIÓN S.L.**  
**CIF: B-14343594**

Dirección / *Manufacturer's address:*

**CTRA. de Rute km.2.700, C.P.:14900, Lucena  
Cordoba, Spain**

Tipo de aparato / *Type of device:*

**HORNO / OVEN**

Marca / *Trade.:*

**FM CALEFACCIÓN**

Modelo / *Model no.:*

**STB 686 V7 GAS      N/S: 21XXXXXXXXXX PIN:370DM5880**

**Nosotros, los abajo firmantes, declaramos bajo nuestra exclusiva responsabilidad que el equipo especificado cumple con la(s) Directiva(s) y Norma(s) mencionadas**

***We, the undersigned, hereby declare under our sole responsibility that the specified equipment is in conformity with the above Directive(s) and Standard(s)***

Lugar / *Place:* **Lucena**

Firma / *Signature:* **B-14343594**

Fecha / *Date:* **01/01/2021**



# STB 5/86 V7 GAS



TECHNICAL CHARACTERISTICS				CONNECTIONS	
Empty unit weight				1	Hose connection
Unit+packaging weight				2	Water connection (3/4")
Supply voltage	230 Vac - single phase			3	Drain Ø40 mm
Frequency	50/60 Hz			4	Gas Connection (3/4")
Power cable	Hose 1F+N+T 2,5 mm <sup>2</sup> (schuko)			5	Fumes exit Ø80 mm
Sound pressure level	Below 70dB			6	Safety gap ≥120 mm
Electric power	650 W			7	Exhaust pipe Ø80mm
	<b>G20</b>	<b>G25</b>	<b>G31</b>	8	On/Off button
Estimated consumption (m3/h)	2,12	2,46	1,55	9	Core Probe Connection
Input pressure (mbar)	20	25	37	10	USB/HACCP Connection
Nominal thermal power (kW)	20	20	20	11	Fumes condenser connection
				12	Safety thermostat reset
				13	Nameplate

\*Dimensions in mm

\*Flue gas outlet adapter ø100mm included

