

RX 603

Bakery oven



Ref. 710527



TECHNICAL CHARACTERISTICS

Electric power 3900 W

Max temperature 250 °c

Weight 45 kg

Voltage 230 V-50/60 Hz

Connection Single phase Schuko

Internal dimensions (W)680x(D)470x(H)285 mm

External dimensions (W)820x(D)800x(H)480 mm

Humidifier (ref. 710528)


FUNCTIONS - FEATURES

- End of cycle alarm
- Safety thermostat
- 0-60 Minute timer
- Non-stop mode
- Interior light
- Door switch
- Rotation inverter
- Standard equipment 3 wire trays

CAPACITY

3 trays 600x400

3 trays GN 1/1



RX 603

Specific accessories



RX 60/40 Stand

Ref. 710549



(W)810x(D)700x(H)850 mm

RX GN1/1 Stand


Ref. 710550



(W)810x(D)700x(H)850 mm

Wheels

Ref. 710286



Wheeled option

Fumes condenser kit

RX SERIES

Ref. 710551

(W)170x(D)70x(H)400 mm

RX H2O SERIES

Ref. 710552

(W)720x(D)85x(H)450 mm

RX DUO SERIES


Ref. 710553

(W)580x(D)120x(H)180 mm



RX 60/40 Superposition kit

Ref. 710556



(W)820x(D)800x(H)40 mm

DECLARACIÓN UE DE CONFORMIDAD EU DECLARATION OF CONFORMITY

Directiva(s) del Consejo con la(s) que se declara conformidad:
Council Directive(s) to which conformity is declared:

DC 2014/35/EU + DC 2014/30/EU + DC 2011/65/EU

Aplicación de las Normas:
Application of the Standards:

UNE-EN 60335-1:2012 + AC:2014 + A11:2014 + A13:2017 + A14:2014 + A2:2020 + A1:2020; UNE-EN 60335-2-42:2004 + Corr:2007 + A1:2008 + A11:2012; UNE-EN 55014-1:2017 + A11:2021; UNE-EN 55014-2:2015; UNE-EN 61000-3-2:2014; UNE-EN 61000-3-3:2013 + A1:2020

Fabricante / *Manufacturer's name:* **FM CALEFACCIÓN S.L.**
CIF: B-14343594

Dirección / *Manufacturer's address:* **CTRA. de Rute km.2.700, C.P.:14900, Lucena
Cordoba, Spain**

Tipo de aparato / *Type of device:* **HORNO / OVEN**

Marca / *Trade.:* **FM CALEFACCIÓN**

Modelo / *Model no.:* **RX 603** **N/S: 21XXXXXXXXXX**

Nosotros, los abajo firmantes, declaramos bajo nuestra exclusiva responsabilidad que el equipo especificado cumple con la(s) Directiva(s) y Norma(s) mencionadas

We, the undersigned, hereby declare under our sole responsibility that the specified equipment is in conformity with the above Directive(s) and Standard(s)

Lugar / *Place:* **Lucena**

Firma / *Signature:* **B-14343594**

Fecha / *Date:* **01/01/2021**



RX 603



TECHNICAL CHARACTERISTICS		CONNECTIONS	
Net Weight (oven)		1	Electrical connection
Gross Weight (oven+packaging)		2	Hot gases outlet Ø30 mm
Supply voltage	230 Vac - Single phase	3	Safety thermostat reset
Frequency	50/60 Hz	4	Safety distance ≥ 120 mm
Power cable	Hose 1F+N+T 2,5 mm ² (shucko)		
Noise level	Below 70 dB		
Electric power	3900 W		
Thermal power	3700 W		

*Dimensions in mm

