

# ST-G 500

Charcoal oven



Ref. 710721



Chimney control included



## FUNCTIONS

- Stainless steel construction
- Cast iron fire plan
- High quality internal insulation
- Working temperature between 250-350°C
- Temperature regulation (chimney system)
- Anti-impact door opening system
- Integrated temperature indicator
- Separate ash drawer
- Grease drawer
- Stainless steel grill included
- Stainless steel interior

## TECHNICAL CHARACTERISTICS

Ignition time	45 minutes (aprox)
Electric power	5,5kW
Diners	100-120
Working temperature	250°C - 350°C
Weight	285kg
Gas outlet diameter	120mm
External dimensions (without accesories)	(W)930x(D)720x(H)680mm

## CAPACITY

1 tray 750x520mm  
2 tray GN1/1






# ST-G 500

Accessories



## Specific accessories

MODEL	DIMENSIONS	
<b>STAND</b> <b>ST-G 500</b> <i>Ref. 710735</i>	(W)910 x (D)650 x (H)800 mm	
<b>CABINET</b> <b>ST-G 500</b> <i>Ref. 710738</i>	(W)910 x (D)650 x (H)800 mm	
<b>ATEMPERATOR</b> <b>ST-G 500</b> <i>Ref. 710741</i>	(W)910 x (D)650 x (H)195 mm	

## General accessories



**CHIMNEY CONTROL**

*Ref. 710722*




**FIRE CONTROL**

*Ref. 710723*



**SPARK ARRESTER CAP**


*Ref. 710724*



**POKER**

*Ref. 710725 (L 450 mm)*

*Ref. 710726 (L 750 mm)*



**CLAMP**

*Ref. 710728*



**BRUSH**

*Ref. 710729*



**ASH SHOVEL**

*Ref. 710727*



**GRILL**

*Ref. 710732 (750 x 520 mm)*

## **EU DECLARATION OF CONFORMITY**

Directiva(s) del Consejo con la(s) que se declara conformidad:  
*Council Directive(s) to which conformity is declared:*

*Application of the Standards:*

**EN 13240:2002/A2:2005/AC:2006/AC:2007**

*Manufacturer's name:* **FM CALEFACCIÓN S.L.**

*Manufacturer's address:* **CTRA. de Rute km.2.700, C.P.:14900, Lucena**

*Type of device:* **OVEN**

*Trade.:* **FM CALEFACCIÓN**

*Model no.:* **ST-G500** **N/S: 22XXXXXXXXXX**

***We, the undersigned, hereby declare under our sole responsibility that the specified equipment is in conformity with the above Directive(s) and Standard(s)***

***This appliance is intended for professional use ONLY, and can be installed in open or closed rooms, provided that the instructions given in the appliance's instruction manual are followed.***

*Place:* **Lucena**

*Signature:* **B-14343594**

*Date:* **01/01/2022**



# ST-G500



TECHNICAL CHARACTERISTICS		CONNECTIONS	
Net weight (only oven)		1	Chimney control
Gross weight (oven+packaging)		2	Gas outlet (Ø120mm male)
Nominal thermal power	5,5kW	3	Minimum safety safety <i>d=320mm with regard to flammable elements</i> <i>d=120mm with regard to other</i>
Ignition time	45 minutes		
Diners	100-120		
Working temperature	250°C - 350°C	4	Temperature indicator

\*Dimensions in mm

