

ST-G 500 S

Charcoal oven



Ref. 710803



Chimney control included



FUNCTIONS

- Stainless steel construction
- Cast iron fire plan
- High quality internal insulation
- Working temperature between 250-350°C
- Temperature regulation (chimney system)
- Anti-impact door opening system
- Integrated temperature indicator
- Separate ash drawer
- Grease drawer
- Stainless steel grill included
- Alloy steel interior

TECHNICAL CHARACTERISTICS

Ignition time	45 minutes (aprox)
Electric power	5,5kW
Diners	100-120
Working temperature	250°C - 350°C
Weight	285kg
Gas outlet diameter	120mm
External dimensions (without accesories)	(W)930x(D)720x(H)680mm

CAPACITY

1 tray 750x520mm
2 tray GN1/1






ST-G 500 S

Accessories



Specific accessories

MODEL	DIMENSIONS	
STAND ST-G 500 <i>Ref. 710735</i>	(W)910 x (D)650 x (H)800 mm	
CABINET ST-G 500 <i>Ref. 710738</i>	(W)910 x (D)650 x (H)800 mm	
ATEMPERATOR ST-G 500 <i>Ref. 710741</i>	(W)910 x (D)650 x (H)195 mm	

General accessories



CHIMNEY CONTROL

Ref. 710722




FIRE CONTROL

Ref. 710723



SPARK ARRESTER CAP


Ref. 710724



POKER

Ref. 710725 (L 450 mm)

Ref. 710726 (L 750 mm)



CLAMP

Ref. 710728



BRUSH

Ref. 710729



ASH SHOVEL

Ref. 710727



GRILL

Ref. 710732 (750 x 520 mm)

EU DECLARATION OF CONFORMITY

Directiva(s) del Consejo con la(s) que se declara conformidad:
Council Directive(s) to which conformity is declared:

Application of the Standards:

EN 13240:2002/A2:2005/AC:2006/AC:2007

Manufacturer's name: **FM CALEFACCIÓN S.L.**

Manufacturer's address: **CTRA. de Rute km.2.700, C.P.:14900, Lucena**

Type of device: **OVEN**

Trade.: **FM CALEFACCIÓN**

Model no.: **ST-G500S** **N/S: 22XXXXXXXXXX**

We, the undersigned, hereby declare under our sole responsibility that the specified equipment is in conformity with the above Directive(s) and Standard(s)

This appliance is intended for professional use ONLY, and can be installed in open or closed rooms, provided that the instructions given in the appliance's instruction manual are followed.

Place: **Lucena**

Signature: **B-14343594**

Date: **01/01/2022**



ST-G500 S



TECHNICAL CHARACTERISTICS		CONNECTIONS	
Net weight (only oven)		1	Chimney control
Gross weight (oven+packaging)		2	Gas outlet (Ø120mm male)
Nominal thermal power	5,5kW	3	Minimum safety safety <i>d=320mm with regard to flammable elements</i> <i>d=120mm with regard to other</i>
Ignition time	45 minutes		
Diners	100-120		
Working temperature	250°C - 350°C	4	Temperature indicator

*Dimensions in mm

